



10/089943

PATENT

CAC

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,918,886 B1

Issue Date: July 19, 2005

Inventor(s): Ulrich BAURMEISTER

Title: MEMBRANE MODULE FOR THE HEMODIAFILTRATION WITH  
INTEGRATED PRE- OR POST-DILUTION OF THE BLOOD

Docket No.: 112358

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER RULE 322**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Certificate  
AUG 19 2005  
of Correction

Sir:

It is respectfully requested that a Certificate of Correction be issued in order to correct the errors specified in the attached copy of Certificate of Correction Form PTO-1050.

It is believed that the errors are on the part of the Patent and Trademark Office, and therefore no fee is due in relation to this matter in accordance with the provisions of 37 C.F.R. §1.322. However, should any fee be due, please charge the same against Deposit Account No. 15-0461 in order to ensure prompt issuance of a Certificate of Correction.

Respectfully submitted,

William P. Berridge  
Registration No. 30,024

Christopher W. Brown  
Registration No. 38,025

WPB:CWB/rav

Date: August 17, 2005

OLIFF & BERRIDGE, PLC  
P.O. Box 19928  
Alexandria, Virginia 22320  
Telephone: (703) 836-6400

DEPOSIT ACCOUNT USE  
AUTHORIZATION

Please grant any extension  
necessary for entry;

Charge any fee due to our  
Deposit Account No. 15-0461

AUG 22 2005

Under the Paperwork Reduction Action of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,918,886 **61**

DATED : July 19, 2005

INVENTOR(S) : Ulrich BAURMEISTER

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 4, insert "." after "area".

Column 12, line 42, change "scaling" to "sealing".

Column 12, line 60, change "scaling" to "sealing".

Column 13, line 7, change "area," to "area.".

Column 13, line 13, change "scaling" to "sealing".

Column 13, line 17, change "scaling" to "sealing".

MAILING ADDRESS OF SENDER: OLIFF & BERRIDGE, PLC  
P.O. Box 19928  
Alexandria, Virginia 22320  
Telephone: (703) 836-6400

PATENT NO. 6,918,886

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

AUG 22 2005

Under the Paperwork Reduction Action of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.  
(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,918,886 **B1**  
DATED : July 19, 2005  
INVENTOR(S) : Ulrich BAURMEISTER

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 8, line 4, insert "." after "area".

Column 12, line 42, change "scaling" to "sealing".

Column 12, line 60, change "scaling" to "sealing".

Column 13, line 7, change "area," to "area.".

Column 13, line 13, change "scaling" to "sealing".

Column 13, line 17, change "scaling" to "sealing".

MAILING ADDRESS OF SENDER: OLIFF & BERRIDGE, PLC  
P.O. Box 19928  
Alexandria, Virginia 22320  
Telephone: (703) 836-6400

PATENT NO. 6,918,886

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

AUG 22 2005